

tel. 800/927-8578 www.fibertite.com

1000 Venture Blvd., Wooster, Ohio 44691 fax 800/649-2737 www.seamancorp.com

RE: Cool Roofing & California Title 24

Subject: FiberTite Roofing Systems Compliance

Seaman Corporation / FiberTite Roofing Systems is a charter member of the Cool Roof Rating Council (CRRC). The CRRC is the supervisory entity responsible for certifying cool roof products and subsequent compliance with California Title 24 requirements.

The following is Seaman Corporation's current FiberTite listing from the Rated Products Directory on the Cool Roof Rating Council Website.

CRRC PROD. ID	MANUFACTURER: BRAND MODEL	PRODUCT TYPE	COLOR	SOLAR REFLECTANCE		THERMAL EMITTANCE		SRI	
				initial	3 year	initial	3 year	initial	3 year
0634-0003	<b>Seaman Corporation</b> : FiberTite Roofing Systems DC 667 CR Tan	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Tan	0.72	pending	0.88	pending	88	pending
0634-0004	<b>Seaman Corporation</b> : FiberTite Roofing Systems DC 671 CR Gray	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Grey	0.69	pending	0.89	pending	84	pending
0634-0001	<b>Seaman Corporation</b> : FiberTite Roofing Systems DC196 Off White	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Off-White	0.83	0.66	0.85	0.74	104	76
0634-0002	<b>Seaman Corporation:</b> FiberTite Roofing Systems DC6 White	Membrane: Single Ply Thermoplastic and Thermoset Roofing	Bright White	0.87	0.71	0.85	0.84	110	86

Oakland, CA 94612

FAX (510) 482-4421

COOL ROOF RATING COUNCIL 449 15th Street, Suite 400 TEL (866) 465-2523 EMAIL: info@coolroofs.org

The California Energy Commission under Title 24 requires a minimum three year aged thermal emittance of 0.75 and a minimum three year aged solar reflectance of 0.63 under the Prescriptive Criteria for Roof Products for Nonresidential Buildings for low slope roofing membranes. Pursuant to the information above, FiberTite (Off White or Bright White) is in compliance with the California Energy Commissions Title 24 requirements.